

In the Claims:

- 1.(original) A process for delivering a fabric treatment agent to a fabric comprising:  
releasably attaching a rigid support to a part of a flexible substrate onto which is releasably fixed a fabric treatment agent;  
(a) placing the rigid support/flexible substrate;  
(b) a fabric inside a fabric treatment machine; and  
(c) operating the fabric treatment machine;  
characterised in that the rigid support is a frame and is smaller than at least the width or length or depth of the flexible substrate.
- 2.(currently amended) A process according to ~~as claimed in claim 1~~ wherein the fabric treatment machine is a tumble dryer or a washing machine.
- 3.(currently amended) A process according to claim 1 ~~as claimed in claim 1 or 2~~ wherein the fabric treatment machine is operated so that the temperature of the water in the washing machine is greater than or equal to 40°C.
- 4.(currently amended) A process according to claim 1 ~~as claimed in any one of the preceding claims~~ wherein the rigid frame support is smaller than both the width and the length of the flexible substrate.
- 5.(currently amended) A process according to claim 1 ~~as claimed in any of the preceding claims~~ wherein the frame is an endless frame.

- 6.(currently amended) A process according to claim 1 ~~as claimed in any one of the preceding claims~~ wherein the flexible substrate comprises a fibrous material.
- 7.(currently amended) A process accordingly to claim 1 ~~as claimed in any one of the preceding claims~~ wherein the flexible substrate is in the form of a sheet.
- 8.(currently amended) A process according to claim 1 ~~as claimed in any one of the preceding claims~~ wherein the fabric treatment agent comprises a fabric softening agent or and/or a fabric cleaning agent.
- 9.(currently amended) A process according to claim 1 ~~as claimed in any one of the preceding claims~~ wherein the fabric treatment agent is releasable from the flexible substrate by heating the substrate or and/or by agitating the substrate.
- 10.(original) A device comprising a flexible substrate containing a releasably fixed fabric treatment agent and releasably attached to the flexible substrate a rigid support.
- 11.(currently amended) A kit for delivering a fabric treatment agent to a fabric comprising a device according to claim 1 ~~as defined in any claim from 1 to 10.~~
- 12.(currently amended) Use of a device according to claim 1 ~~as defined in any claim from 1 to 10,~~ for the delivery of the fabric treatment agent to a fabric.

13. (new) A kit for delivering a fabric treatment agent to a fabric comprising a device according to claim 10.
14. (new) Use of a device according to claim 10 for the delivery of the fabric treatment agent to a fabric.